




# Encapsulated Transformer

EI-30x10.5mm series





Unit: in mm




Catalog No	Secondary					Ambient Temp. (Ta)	Approval	
	Rated Voltage	Power Rating	Loading Current	No-Load Voltage	Secondary Circuitry		VDE	CE
V30AJ-10A9P7	6.0 V	1.0 VA	167 mA	7.7 V	A	70°C	●	●
V30AJ-10A1P5	6.0 V	1.2 VA	200 mA	8.0 V	A	50°C	●	●
V30AJ-10AEP7	6.0 V	1.2 VA	200 mA	8.0 V	A	70°C	●	●
V30AJ-10A1P7	6.0 V	1.5 VA	250 mA	8.0 V	A	70°C	●	●
V30AJ-10AKP7	6.0 V	1.5 VA	250 mA	9.3 V	A	70°C	●	●
V30AJ-10A8P7	7.0 V	1.0 VA	143 mA	9.2 V	A	70°C	●	●
V30AJ-10A1P7	7.5 V	1.5 VA	200 mA	12.0 V	A	70°C	●	●
V30AJ-10AFP7	8.5 V	1.5 VA	176 mA	13.1 V	A	70°C	●	●
V30AJ-10ACP7	9.0 V	0.6 VA	67 mA	12.5 V	A	70°C	●	●
V30AJ-10A7P5	9.0 V	1.0 VA	111 mA	12.9 V	A	50°C	●	●
V30AJ-10ADP7	9.0 V	1.0 VA	111 mA	11.8 V	A	70°C	●	●
V30AJ-10A2P5	9.0 V	1.2 VA	133 mA	12.0 V	A	50°C	●	●
V30AJ-10A7P7	9.0 V	1.2 VA	133 mA	12.5 V	A	70°C	●	●
V30AJ-10A2P7	9.0 V	1.5 VA	167 mA	12.0 V	A	70°C	●	●
V30AJ-10AHP7	10.0 V	1.2 VA	120 mA	14.0 V	A	70°C	●	●
V30AJ-10A8P5	12.0 V	1.0 VA	83 mA	15.8 V	A	50°C	●	●
V30AJ-10ABP7	12.0 V	1.0 VA	83 mA	17.9 V	A	70°C	●	●
V30AJ-10A3P5	12.0 V	1.2 VA	100 mA	16.0 V	A	50°C	●	●
V30AJ-10AGP7	12.0 V	1.2 VA	100 mA	16.5 V	A	70°C	●	●
V30AJ-10A3P7	12.0 V	1.5 VA	125 mA	16.0 V	A	70°C	●	●
V30AJ-10A4P5	15.0 V	1.2 VA	80 mA	20.4 V	A	70°C	●	●
V30AJ-10A4P7	15.0 V	1.5 VA	100 mA	20.4 V	A	70°C	●	●
V30AJ-10AJP7	18.0 V	1.0 VA	56 mA	25.9 V	A	70°C	●	●
V30AJ-10A5P5	18.0 V	1.2 VA	67 mA	24.9 V	A	50°C	●	●
V30AJ-10AAP7	18.0 V	1.2 VA	67 mA	24.9 V	A	70°C	●	●
V30AJ-10A5P7	18.0 V	1.5 VA	83 mA	24.9 V	A	70°C	●	●
V30AJ-10A6P5	24.0 V	1.2 VA	50 mA	32.7 V	A	50°C	●	●
V30AJ-10A6P7	24.0 V	1.5 VA	63 mA	32.7 V	A	70°C	●	●

Catalog No	Secondary					Ambient Temp. (Ta)	Approval	
	Rated Voltage	Power Rating	Loading Current	No-Load Voltage	Secondary Circuitry		VDE	CE
V30AJ-10D8P7	6.0 Vx2	1.0 VA	83 mA	9.7 Vx2	D	70°C	●	●
V30AJ-10D1P5	6.0 Vx2	1.2 VA	100 mA	8.0 Vx2	D	50°C	●	●
V30AJ-10D1P7	6.0 Vx2	1.5 VA	125 mA	8.6 Vx2	D	70°C	●	●
V30AJ-10D2P5	9.0 Vx2	1.2 VA	67 mA	12.3 Vx2	D	50°C	●	●
V30AJ-10D2P7	9.0 Vx2	1.5 VA	83 mA	12.9 Vx2	D	70°C	●	●
V30AJ-10D7P7	12.0 Vx2	1.0 VA	42 mA	19.0 Vx2	D	70°C	●	●
V30AJ-10D3P5	12.0 Vx2	1.2 VA	50 mA	16.2 Vx2	D	50°C	●	●
V30AJ-10D3P7	12.0 Vx2	1.5 VA	63 mA	19.0 Vx2	D	70°C	●	●
V30AJ-10D4P5	15.0 Vx2	1.2 VA	40 mA	21.3 Vx2	D	50°C	●	●
V30AJ-10D4P7	15.0 Vx2	1.5 VA	50 mA	23.6 Vx2	D	70°C	●	●
V30AJ-10D5P5	18.0 Vx2	1.2 VA	33 mA	24.2 Vx2	D	50°C	●	●
V30AJ-10D5P7	18.0 Vx2	1.5 VA	42 mA	24.9 Vx2	D	70°C	●	●
V30AJ-10D6P5*	24.0 Vx2	1.2 VA	25 mA	33.3 Vx2	D	50°C	○	●
V30AJ-10D6P7*	24.0 Vx2	1.5 VA	31 mA	37.9 Vx2	D	70°C	○	●



Remarks :-

1) Catalog Number System :



2) Inherently short-circuit proof safety isolating transformer

3) \* - Non short-circuit proof isolating transformer

4) Temperature Class : B

5) Weight per Unit : approximate 75gm

6) ● - Approved

7) ○ - Meet Standard